



EFD 300 E – 1/3" colour flush dome camera, high resolution


Features

- Discreet in-ceiling mounting
- High resolution technology (520 TV lines)
- Integrated 4~9mm DC varifocal lens
- Flickerless function
- Smoked cover
- Additional monitor output pin (test point pin)



Technical data	
Sensor	1/3" SONY CCD
Picture element	752 x 582 (PAL)
Horizontal resolution	520 TV lines
Sensitivity	0,4 lux / F = 1.2
Video output	1 Vp-p composite PAL, BNC
Monitor output pin	1 Vp-p / 75 Ohm, test point pin
S/N ratio	Over 48 dB (AGC off)
Gamma correction	> 0,45
Synchronisation	internal
Back light compensation	On / off
Auto white balance	Yes
AGC	On / off
Flickerless function	On / off
Electronic shutter	1:50 ~ 1:100.000
Lens	DC varifocal lens, f = 4 ~ 9 mm, F = 1.4 ~ 1.8
Colour	Black base, smoked cover
Power source	12 V DC +/- 10%, 300 mA / 24 V AC, 200 mA
Ambient temperature	0°C ~ +50°C
Dimensions (diameter x H)	135 x 112 mm
Ceiling cutout	110 mm (diameter)
Weight	460 g

Dimensions



Ordering information

EFD 300 E	1/3" colour flush dome camera, 520 TV lines, 4~9mm DC varifocal lens, 12 V DC / 24 V AC
-----------	---

EFD300E_db_en_rev01