



ASSA ABLOY

Experience a safer
and more open world

5016N Series Door Closers



5016N Series Door Closers



ASSA ABLOY

Features:

- Cast aluminum body.
- Hardened steel rack and pinion.
- High tensile steel springs.
- Staked valves.
- Two non-critical adjusting valves (sweep and latch) control closing speed.
- Backcheck intensity valve.
- All temperature fluid.
- Available with a full plastic cover or a slim plastic cover (specify "S" suffix).
- Non-handed for regular, top jamb and parallel arm mount applications.
- Hold open arm available on adjustable closers.
- Available with optional delayed action adjusted with separate independent valve. Delays door closing to allow unimpeded passage through the opening. Specify "D" suffix.
- Supplied with machine screws, fully threaded self-reaming/tapping screws, sleeve nuts and thru-bolts for 1-3/4" thick doors.
- Packaging: one per box and four boxes per carton.
- 10 year limited warranty.

The Arrow 5016N Series Surface Applied Door Closers are ideal for use in commercial and institutional facilities where there is a demand for reliability and flexibility. Arrow offers multiple options for compliance with barrier-free codes for interior or exterior doors.



Finishes:

Arrow Code	Finish Description	
689	Aluminum, Specify AL	
690	Dark Bronze, Specify DBZ	
691	Light Bronze, Specify LBZ	
696	Gold, Specify GL	
693	Black, Specify BLK	

Certification & Compliance:

Look for the universal symbol next to Arrow products that comply with ADA accessibility requirements.



UL and BHMA listed.

- Meets the requirements of UL10C Positive Pressure up to 3 hours.
- ANSI/BHMA A117.1.
- ANSI/BHMA A156.4, Grade 1.
- Meets ADA requirements (Americans with disabilities Act).



WARNING

This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov.

5016N Series Door Closers


Sizes (Adjustable):

- 5016N– Adjustable sizes 1 through 6, Standard Armor Hold Open Arm.


INTERIOR DOOR WIDTH	24" (610mm)	30" (762mm)	34" (865mm)	38" (965mm)	48" (1219mm)	54" (1372mm)	60" (1524mm)
Regular Arm & Top Jamb	Size 1	Size 2	Size 3	Size 4	Size 5	Size 6	
Parallel Arm	Size 2	Size 3	Size 4	Size 5	Size 6		
EXTERIOR (& VESTIBULE) DOOR WIDTH	24" (610mm)	30" (762mm)	36" (914mm)	42" (1067mm)	48" (1219mm)		
Regular Arm & Top Jamb	Size 3	Size 4	Size 5	Size 6			
Parallel Arm	Size 4	Size 5	Size 6	Size 3			

Design:




Regular Arm Installation



Top Jamb Installation



Parallel Arm Installation



This product can expose you to lead which is known to the state of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65warnings.ca.gov.

5016N Series Door Closers



ASSA ABLOY

Ordering Example:

Quantity	Part Number	Finish
20	5016N	AL

Tri-pack Models - Size 1-6

Model	Description
5016NS	Standard non-hold open arm with slim plastic cover
5016N	Standard non-hold open arm with full plastic cover
5016NSD	Standard non-hold open arm with slim plastic cover, delayed action
5016ND	Standard non-hold open arm with full plastic cover, delayed action
5016NSH	Hold open arm with slim plastic cover
5016NH	Hold open arm with full plastic cover
5016NSHD	Hold open arm with slim plastic cover, delayed action
5016NHD	Hold open arm with full plastic cover, delayed action

Door Saver Parallel Arm Models - Size 1-6

Model	Description
5016NPS	Standard non-hold open arm with slim plastic cover
5016NP	Standard non-hold open arm with full plastic cover
5016NPSD	Standard non-hold open arm with slim plastic cover, delayed action
5016NPD	Standard non-hold open arm with full plastic cover, delayed action
5016NPSH	Hold open arm with slim plastic cover
5016NPH	Hold open arm with full plastic cover
5016NPSHD	Hold open arm with slim plastic cover, delayed action
5016NPHD	Hold open arm with full plastic cover, delayed action

NOTE:

Specify Finish when placing order: AL, DBZ, LBZ, GL, BLK

5016N Series Door Closers



ASSA ABLOY

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, mechanical and smart locks, access control and service.



Arrow Lock & Door Hardware
225 Episcopal Road
Berlin, CT 06037
Customer Service: 1-800-327-8539
Technical Product Support: 1-800-327-8539 X2
www.arrowlock.com