

<b>Model No.</b>		<b>MZCM12575</b>	
Image Format Cover		2/3" ~ 1/3"	
Focal Length		12.5 ~ 75mm	
Maximum Aperture Ratio		1:1.8	
Zoom Ratio		6X	
Iris	Control Method	Motorized	
	Iris Range	F1.8 ~ Close	
	Speed	Approx. 4 sec	
	Input Voltage & Current	DC12V Max.50mA	
	Sensitivity Adjustment	---	
Focus	Control Method	Motorized	
	Speed	Approx. 4 sec	
	Input Voltage & Current	DC12V Max.50mA	
Zoom	Control Method	Motorized	
	Speed	Approx. 4 sec	
	Input Voltage & Current	DC12V Max.50mA	
Angle Field of View (DXHXV)	1/3 inch	Wide	26.6°X21.2°X16.1°
		Tele	4.5°X3.6°X2.7°
	1/2 inch	Wide	34.9°X28.3°X21.4°
		Tele	6.0°X4.8°X3.6°
	2/3 inch	Wide	47.9°X38.7°X29.3°
		Tele	8.2°X6.6°X4.9°
Minimum Object Distance		1.0m	
Back Focal Length		17.19mm	
Effective Diameter	Front	ø44.0mm	
	Rear	ø13.0mm	
Filter Screw Size		M49.0 P=0.75	
Mount / Flange Back		C/17.526	
Mechanical Dimension (WXHXL)		95.0mmX70.2mmX100.5mm	
Total Weight		740.0g	
Application Temperature Range		0°C ~ +50°C (+32°F ~ +122°F)	
Remarks		---	

