

VIDOS Video Management System



- ► All-in-one video management centre solution
- ► Site-map based user interface
- Analog monitor support
- Database-driven system management
- Extensive alarm handling
- Automated guard tours

VIDOS Installation Package

This installation provides a powerful and fully customizable video management system. It installs VIDOS, the VIDOS Archive Player & Exporter, the Configuration Manager and the necessary software environment as a 30-day trial version. The installation can then be licensed according to the application's requirements and configured to run as a stand-alone workstation or to work as a client for VIDOS Server.

Exporter in VIDOS Archive Player, VIDOS Automation Interface and VIDOS Intuikey Integration require separate licenses.

Together with the other powerful components in the VIDOS Pro Software Suite including VIDOS Lite Viewer and VIDOS Monitor Wall applications, this installation package with VIDOS, VIDOS Archive Player & Exporter and the Configuration Manager is ideally suited to CCTV applications of any scale. Built-in scripting and application programmer's interfaces (APIs), like the Automation Interface to remotely control VIDOS, allow for easy integration with, or the enhancement of existing security solutions.



VIDOS

VIDOS is a unique and powerful video surveillance and alarm management software product that enables security and surveillance professionals to perform sophisticated tasks with ease. Based on the intuitive graphical concept of site-maps, VIDOS puts the operator firmly in control of the world around him.

VIDOS is fully customizable, allowing you to run your CCTV system the way you want to and keeping training down to a minimum. Additionally, CCTV keyboard integration enables the operator to control all devices, alarms and even sitemaps in the same way as controlling a conventional system.

VIDOS integrates with all existing peripheral equipment like dome cameras and analog monitors. With its sophisticated touring and patrolling functions, automatic recording tasks and comprehensive archive features VIDOS offers functionality and performance unprecedented in CCTV applications.

As part of the VIDOS Pro Software Suite, VIDOS may act as a client in combination with VIDOS Server enabling centralized management and control. This enables an administrator to set different authorization levels for groups of users, which in turn controls VIDOS client privileges for live viewing, PTZ, recording and retrieval.


In environments where IP cameras and encoders record directly to iSCSI drives and VRM Video Recording Manager controls the storage assignment, VRM Server can be used instead of VIDOS Server to ensure consistent system configuration.

In smaller applications, where only a few users, authorisation levels, privileges and priorities are required, it may act as a full-blown video management system solution in itself, controlling an unlimited number of cameras.

VIDOS is available as software only, supporting 16, 32, 64 or an unlimited number of cameras and monitors. There is also a choice of two pre-configured hardware solutions for easiest and fastest integration.

VIDOS Archive Player & Exporter

VIDOS Archive Player & Exporter, part of the VIDOS Pro Video Management Software Suite, allows operators to very easily search and playback pre-recorded video and events and export them for subsequent use. The software allows operators to replay from any encoder, NVR, iSCSI drive, or local hard disc, search for video sequences and bookmarks and simply export sequences.



VIDOS Archive Player & Exporter presents a quick and easy to use interface that is designed to accelerate the process of browsing available recordings and uses intuitive time and calendar features to home in on specific events and bookmarks. By instantaneously switching between replay and export screens the search time is further minimized. All search results are tracked in concise lists that can easily be processed for export to other storage media. With the integrated Direct-Burn function, the export files can be directly written to CD/DVD (assuming a CD/DVD-RW drive is attached).

Forensic Search in Archive Player allows to search over recorded metadata created by encoders or cameras running VCA (like MOTION+, IVMD, or IVA). Search parameters can be redefined to find objects which did not trigger an alarm initially.

As part of the VIDOS Pro Software Suite, VIDOS Archive Player & Exporter can be used in combination with VIDOS Server or VRM Server which offer centralized management and control. This enables an administrator to set user privileges, and their right to access cameras and recordings via VIDOS Archive Player & Exporter.

VIDOS Automation Interface

The VIDOS Automation Interface provides remote control and supervision via a socket interface. It resembles a "programmer's style" ASCII string command interface for video and audio switching, to control digital I/O and alarms, to control workspace and for event subscription and delivery. The VIDOS Automation Interface provides two basic mechanisms: one for issuing synchronous commands and one for receiving event information. To ensure authenticity the external controller needs to login with username and password.

Access to the automation interface must be explicitly enabled and is password protectable.


1 External controller

VIDOS IntuiKey Integration

Use the ergonomic advances of the Bosch IntuiKey CCTV keyboard for full control of networked surveillance. Almost all VIDOS functions are accessible without the need for mouse or PC keyboard access of the operator, bringing the traditional matrix input device to a new level of experience.

Ease the migration from the analogue to the digital world by switching cameras and monitors via the keypad. Control the pan, tilt and zoom positions via the joystick and use the camera menu for accessing all auxiliary AutoDome functions. Direct keys are available for recalling camera presets and acknowledging alarms. Four direct menu keys provide quick access to functions for user authentication, recording and snapshots, sitemap navigation, camera menus and replay control.

The Bosch IntuiKey unique custom programmable softkey feature enables up to six fully programmable softkeys per sitemap for guided map navigation and device control.



VIDOS Virtual Matrix Keyboard

For easier migration it is possible to connect up to ten IntuiKey CCTV keyboards remotely via decoders like VIP XD or VIP X1600 XFMD. Thus you also save costs as less PC hardware is necessary. The remote keyboards are virtually working as if directly connected to the VIDOS workstation.

Technical Specifications

Minimum System Requirements

Hardware	Personal Computer
CPU	Pentium IV, 3.0 GHz or better
Hard Disk Interface	IDE or better
RAM	256 MB
OS	Windows XP Home/XP Professional
Graphic Card	NVIDIA GeForce 6600
	NVIDIA Quadro FX 1400
	ATI RADEON X600/X800
	or better
Ethernet Card	1000 Mbps
Sound Card	Recommended
Software	DirectX 9.0c
Free Memory (Installation)	120 MB (.NET environment, VIDOS, VIDOS Archive Player, Configuration Manager)

Software Features

VIDOS

Tree View	User configurable, Explorer style resource tree
Display	Drag and drop connection control
	User definable video windows
	Built-in electronic zoom function
	Simultaneous viewing of several video streams

VIDOS		VIDOS Archive Player		
Full screen mode viewing		JPEG snapshot with direct print function		
	On-screen or in picture PTZ camera control	Export (option)	Simultaneous export of video and audio of multiple	
	Multiple, user definable workspaces		recordings	
	Window snap organizer		Direct burn on CD	
	Addition of multiple external monitors	Forensic Search (option)	Search over VCA-generated	d metadata
	JPEG snapshot overview of all connected devices	tion)	Radafina saarch naramatar	es so that objects trigger
Scan Network	Autoscan function over the complete network	Redefine search parameters so that objects trigge an alarm even if they did not do so initially		
	JPEG snapshot overview of all devices	Configuration	Through Configuration Mar	nager
	Remote upload of devices via LAN/WAN			
	Scan result copy to a clipboard by one mouse click			
Site Map	Built-in site map editor	Ordering Information		
	Background bitmap graphics	VIDOSPRODEMO VIDOS Pro Demo Package VIDOS Pro Trial versions inclusive printed doc- umentation and CD		VIDOSPRODEMO
	User definable symbols with programmable functions, e.g. Hyperlinks			
	Fully scalable and movable software monitors	VIDOS16CH VIDOS 16 Channels		VIDOS16CH
	External hardware monitor support	VIDOS stand-alone license for 16 channels		
	Automatic camera activation on alarm	VIDOS32CH VIDOS 32 channels VIDOS stand-alone license for 32 channels		VIDOS32CH
Configuration	User groups and privileges			VIDOS64CH
	Device properties	VIDOS64CH VIDOS 64 channels VIDOS stand-alone license for 64 channels		VIDUS64CH
	Device COMs for remote camera control	VIDOSUNLIM VIDO	OS unlimited channels	VIDOSUNLIM
	Preset camera sequences (Salvos)	VIDOS stand-alone license for unlimited no. of		
Trigger and Alarm	Logical trigger creation	channels		
	Scheduler		DOS 16 chan. 5-pack	VIDOS16CH-5P
	Alarm stack log	VIDOS stand-alone pack	license for 16 channels 5-	
	Programmable alarm triggered jobs	<u>'</u>	DOS 32 chan 5-nack	VIDOS32CH-5P
	Integrated alarm testing		1150002011 01	
	Action plans for alarm handling	pack		
Recording	Recording configuration in encoders		DOS 64 chan. 5-pack	VIDOS64CH-5P
	Simultaneous recording of video, audio and transparent data	pack	license for 64 channels 5-	
	Scheduled and alarm recording		/IDOS unlimited 5-pack license for unlimited no. of	VIDOSUNLIM-5P
	Ring recording function per camera	channels 5-pack		
	Synchronous playback of multiple cameras	VIDOS16CH-10P \	VIDOS 16 chan. 10-pack for 16 channels 10-pack	VIDOS16CH-10P
	JPEG snapshot	VIDOS stand-alone		
NVR (option)	Full Network Video Recording functionality and advanced recording features by implementation of VIDOS-NVR modules (see respective data sheet)		/IDOS 32 chan. 10-pack icense for 32 channels 10-	VIDOS32CH-10P
VIDOS Archive Play	yer		/IDOS 64 chan. 10-pack icense for 64 channels 10-	VIDOS64CH-10P
Tree View	User configurable resource tree	pack	Toolioo Torra Miloto 10	
Replay	From VIP/VideoJet devices, NVR and local hard disc	VIDOSUNLIM-10P	VIDOS unlimited 10-	VIDOSUNLIM-10P
	Calendar and time range search function	pack		
	Bookmark setting and search function	VIDOS stand-alone channels 10-pack		
	Built-in digital zoom function	VIDOS UPGR 16 TO	D 32 CH nce for 1 PC from 16 to 32	3504B100
	Dynamic timeline			
	Trick mode replay	cameras and monitors		
	Full screen mode			

Ordering Information	
VIDOS UPGR 16 TO 64 CH VIDOS upgrade licence for 1 PC from 16 to 64 cameras and monitors	3504B200
VIDOS UPGR 16 TO UNLIM VIDOS upgrade licence for 1 PC from 16 to unlimited cameras and monitors	3504B300
VIDOS UPGR 32 TO 64 CH VIDOS upgrade licence for 1 PC from 32 to 64 cameras and monitors	3504B400
VIDOS UPGR 32 TO UNLIM VIDOS upgrade licence for 1 PC from 32 to unlimited cameras and monitors	3504B500
VIDOS UPGR 64 TO UNLIM VIDOS upgrade licence for 1 PC from 64 to un- limited cameras and monitors	3504B600
VIDOSCL VIDOS Client License VIDOS Client License per PC w/o cameras	VIDOSCL
VIDOSCL-5P VIDOS Client 5-pack VIDOS Client License per PC w/o cameras 5- pack	VIDOSCL-5P
VIDOSCL-10P VIDOS Client 10-pack VIDOS Client License per PC w/o cameras 10- pack	VIDOSCL-10P
VIDOSAPEXPT AP Export Tool Archive Player License for Export Tool per PC	VIDOSAPEXPT
VIDOSAPEXPT-5P AP Export 5-pack Archive Player License for Export Tool per PC 5-pack	VIDOSAPEXPT-5P
VIDOSAPEXPT-10P AP Export 10-pack Archive Player License for Export Tool per PC 10-pack	VIDOSAPEXPT-10P
VIDOSKBD IntuiKey Keyboard License IntuiKey Keyboard License	VIDOSKBD
VIDOSKBD-5P IntuiKey Keyboard License 5-pack IntuiKey Keyboard License 5-pack	VIDOSKBD-5P
VIDOSKBD-10P IntuiKey Keyboard License 10-pack IntuiKey Keyboard License 10-pack	VIDOSKBD-10P
VIDOS AUTO VIDOS Automation IF VIDOS Automation Interface License per VI- DOS PC	VIDOSAUTO
VIDOSAUTO-5P VIDOS Autom. IF 5-pack VIDOS Automation Interface License per VI- DOS PC 5-pack	VIDOSAUTO-5P
VIDOSAUTO-10P VIDOS Autom. IF 10-pack VIDOS Automation Interface License per VI-	VIDOSAUTO-10P

Ordering Information	
Accessories	
MHW-W45M1-EL Management Workstation VIDOS Client Entry Level (localization kit must be ordered separately)	MHW-W45M1-EL
MHW-W65M1-PE Management	MHW-W65M1-PE
Workstation High-end management workstation, Bosch VI- DOS Client Small (PC6) (localization kit must be ordered separately)	
MHW-W65M1-NG Management	MHW-W65M1-NG
Workstation High-end management workstation, Bosch VI- DOS Client Small (localization kit and graphics card must be ordered separately)	
MHW-W67M2-HE Management Workstation	MHW-W67M2-HE
High-performance management workstation, Bosch VMS/VIDOS Client Large (PC7) (locali- zation kit must be ordered separately)	
MHW-W67M2-NG Management	MHW-W67M2-NG
Workstation High-performance management workstation, Bosch VMS/VIDOS Client Large (localization kit and graphics card must be ordered sepa- rately)	
MHW-W67M2D4-AE Management	MHW-W67M2D4-
Workstation Bosch VMS/VIDOS All-in-One Edition (localization kit must be ordered separately)	AE
MHW-WQ67M4-EE Management	MHW-WQ67M4-EE
Workstation	
Highest-performance management worksta- tion, Bosch VMS/VIDOS Client Extreme Edition (localization kit must be ordered separately)	
Software Options	
MVC-FAPFS Archive Player IVA Forensic Search license	MVC-FAPFS
VIDOS Virtual Matrix Keyboard Expansion VIDOS IntuiKey expansion by 1 keyboard	MVC-XKBD-001
VIDOS Virtual Matrix Keyboard Expansion (5) VIDOS IntuiKey expansion by 5 keyboards	MVC-XKBD-005
VIDOS Virtual Matrix Keyboard Expansion	MVC-XKBD-010
(10) VIDOS IntuiKey expansion by 10 keyboards	

Americas:
Bosch Security Systems, Inc.
130 Perinton Parkway
Fairport, New York, 14450, USA
Phone: +1 800 289 0096
Fax: +1 585 223 9180
security,sales@us.bosch.com
www.boschsecurity.us

Europe, Middle East, Africa: Bosch Security Systems B.V. P.O. Box 80002 5600 JB Eindhoven, The Netherlands Phone: + 31 40 2577 284 Fax: +31 40 2577 330 emea.securitysystems@bosch.com www.boschsecurity.com

Asia-Pacific: Represented by
Robert Bosch (SEA) Pte Ltd, Security Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2600
Fax: +65 6571 2698
apr.securitysystems@bosch.com
www.boschsecurity.com