

DH-CA-DW161H

540TVL Water-proof IR Mini Dome Camera



Features

- > 1/3.7" HDIS
- > High resolution of 540TVL(Color)
- > Day/Night(ICR), AWB, AGC, BLC
- > 3.6mm fixed lens (2.8mm, 6mm, 8mm optional)
- > Max. IR LEDs length 20m, Smart IR
- > DC12V


DH-CA-DW161H

Technical Specifications

Model	DH-CA-DW161HP	DH-CA-DW161HN
Camera		
Image Sensor	1/3.7" HDIS	
Effective Pixels	640(H) x480(V)	
Horizontal Resolution	Color: 540TVL	
Electronic Shutter	1/50s~1/100,000s	1/60s~1/100,000s
Synchronization	Internal	
Min. Illumination	0.1Lux@F1.2(0Lux IR LED on)	
S/N Ratio	> 60dB(AGC Off)	
Video Output	1Vp-p Composite Output (75Ω/BNC)	
Camera Features		
Max. IR LEDs Length	20m, Smart IR	
Day/Night	Auto(ICR) / Color / B/W	
Backlight Compensation	BLC	
White Balance	Auto	
Gain Control	Auto	
Lens		
Focal Length	3.6mm (2.8mm, 6mm, 8mm optional)	
Mount Type	M12	
General		
Power Supply	DC12V±10%	
Power Consumption	Max 3W	
Working Environment	-30°C~+60°C / 20%~80%RH	
Dimensions	Φ108mm x 85.5mm	
Weight	150g	

DH-CA-DW161H

Dimensions (mm)



Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.

DH-CA-DW161H
