

DH-CA-DW171F

600TVL Day/Night IR Dome Camera



Features

- > 1/3" HDIS
- > High resolution of 600TVL(Color)
- > Day/Night(ICR), AWB, AGC, BLC
- > 3.6mm fixed lens (2.8mm, 6mm, 8mm optional)
- > Max. IR LED length 20m, Smart IR
- > DC12V


DH-CA-DW171F

Technical Specifications

| Model | DH-CA-DW171FP | DH-CA- DW171FN |
|------------------------|----------------------------------|------------------|
| Camera | | |
| Image Sensor | 1/3" HDIS | |
| Effective Pixels | 720(H) x480(V) 340K pixels | |
| Horizontal Resolution | Color: 600TVL | |
| Electronic Shutter | 1/50s~1/100,000s | 1/60s~1/100,000s |
| Synchronization | Internal | |
| Mini. Illumination | 0.1Lux@F1.2(0Lux IR LED on) | |
| S/N Ratio | >60dB(AGC Off) | |
| Video Output | 1Vp-p Composite Output (75Ω/BNC) | |
| Camera Features | | |
| Max. IR LEDs Length | 20m, Smart IR | |
| Day/Night | Auto(ICR) / Color / B/W | |
| Backlight Compensation | BLC | |
| White Balance | Auto | |
| Gain Control | Auto | |
| Lens | | |
| Focal Length | 3.6mm (2.8mm, 6mm, 8mm optional) | |
| Lens Type | Manual | |
| Mount Type | M12 | |
| General | | |
| Power Supply | DC12V±10% | |
| Power Consumption | Max. 3W | |
| Working Environment | -40°C~+60°C / 20%~80%RH | |
| Dimensions | Φ113.6mm × 85.4mm | |
| Weight | 200g | |

DH-CA-DW171F

Dimensions (mm)



Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.

© 2012 Dahua Technology Co., Ltd.