

DH-CA-FW191J-IN

800TVL Day/Night Waterproof IR Camera



Features

- 1/3" HDIS
- High resolution of 800TVL
- Day/Night(ICR), ATW, AGC, BLC
- 8mm fixed lens (3.6mm, 6mm,12mm,16mm optional)
- Max. IR LEDs length 50m, Smart IR
- IP66, DC12V


DH-CA-FW191J-IN

Technical Specifications

Model	DH-CA-FW191JP-IN		DH-CA-FW191JN-IN
Camera			
Image Sensor	1/3" HDIS		
Horizontal Resolution	800TVL		
Electronic Shutter	1/50s~1/100,000s	1/60s~1/100,000s	
Synchronization	Internal		
Min. Illumination	0.02Lux@F1.2(0Lux IR LED on)		
S/N Ratio	More than 65dB(AGC Off)		
Video Output	1Vp-p Composite Output (75Ω/BNC)		
Camera Features			
Max. IR LEDs Length	50m, Smart IR		
Day/Night	Auto(ICR) / Color / B/W		
Backlight Compensation	BLC		
White Balance	Auto		
Gain Control	Auto		
Lens			
Focal length	8mm fixed lens (3.6mm, 6mm,12mm,16mm optional)		
Mount Type	M12		
General			
Power Supply	DC12V±10%		
Power Consumption	Max 6W		
Working Environment	-40℃~+60℃ / 20%~80%RH		
Ingress Protection	IP66		
Dimensions(W×D×H)	89.1mm×200.2mm×80.4mm		
Weight	450g		

DH-CA-FW191J-IN

Dimensions (mm)



Accessories (optional)



Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.

© 2013 Dahua Technology Co., Ltd.