

## DH-CA-M180G-170

720TVL HDIS Mobile Camera



### Features

- 1/3" HDIS
- High resolution of 720TVL
- AWB, AGC, BLC
- 2.1mm fixed lens
- Aviation connector, shock-proof
- IP67, DC12V


# DH-CA-M180G-170

## Technical Specifications

Model	DH-CA-M180GP-170	DH-CA-M180GN-170
<b>Camera</b>		
Image Sensor	1/3" HDIS	
Effective Pixels	976(H)×496(V)	
Horizontal Resolution	720TVL	
Electronic Shutter	1/50s~1/10,000s	1/60s~1/10,000s
Synchronization	Internal	
Min. Illumination	0.05Lux@F1.2(AGC ON)	
S/N Ratio	>65dB(AGC Off)	
Video Output	1Vp-p Composite Output (75Ω/Aviation connector)	
<b>Camera Features</b>		
Day/Night	Color	
Backlight Compensation	Auto	
White Balance	Auto	
Gain Control	Auto	
<b>Lens</b>		
Focal length	2.1mm fixed lens	
Angle of View	H: 136°	
Mount Type	M12	
<b>General</b>		
Power Supply	DC12V±10%	
Power Consumption	Max 1W	
Working Environment	-40°C~+60°C / Less than 90%RH	
Dimensions	Φ28mm×44.6mm	
Weight	0.08kg	

# DH-CA-M180G-170

## Dimensions (mm)



---

### Dahua Technology Co., Ltd.

1199 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: [overseas@dahuatech.com](mailto:overseas@dahuatech.com)

[www.dahuatech.com](http://www.dahuatech.com)