

DH-IPC-HF81200E

12 Megapixel Ultra HD Network Camera



Features

- 1/2.3" 12 Megapixel progressive scan CMOS
- Support H.264/MJPEG dual codec
- Smart triple streams supported
- Max 15fps@12MP(4000x3000)
- Ultra Defog, ROI, EIS
- Auto back focus
- Bulit-in Mic
- 100/1000M Base-T Ethernet

DH-IPC-HF81200E

Technical Specifications


Model	DH-IPC-HF81200EP		DH-IPC-HF81200EN
Camera			
Image Sensor	1/2.3" 12Megapixel CMOS		
Effective Pixels	4000(H)x3000(V)		
Scanning System	Progressive		
Electronic Shutter Speed	Auto/Manual, 1/3~1/10000s	Auto/Manual, 1/4~1/10000s	
Min. Illumination	Color: 0.01Lux/F1.2, B/W: 0.001Lux/F1.2		
S/N Ratio	More than 50dB		
Video Output	1 channel BNC (1.0Vp-p,75Ω)		
Camera Features			
Max. IR LEDs Length	N/A		
Day/Night	Auto(ICR)/Color/B/W		
Backlight Compensation	BLC / HLC / DWDR		
White Balance	Auto/Manual		
Gain Control	Auto/Manual		
Noise Reduction	3D		
Privacy Masking	Up to 4 areas		
EIS	Support		
Ultra Defog	Support		
Smart focus	ABF		
Lens			
Mount Type	C/CS		
Video			
Compression	H.264/MJPEG		
Resolution	12M(4000×3000)/8M(3840×2160)/1080P(1920×1080)/720P(1280×720) /D1(704×576) /CIF(352×288)		
Frame Rate	Main Stream	12M(1~15fps)/8M/1080P (1~25/30fps)	
	Sub Stream	D1/CIF(1 ~ 50/60fps)	
	Third Stream	1080P/720P/D1(1 ~ 50/60fps)	
Bit Rate	H.264: 32K ~ 96Mbps		
ROI	Up to 4 areas		
Audio			
Compression	G.711a / G.711u		
Interface	1/1 channel In/Out(Built in Mic)		
Network			
Ethernet	RJ-45 (10/100/1000Base-T)		
Wi-Fi	N/A		
Protocol	IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour		
Compatibility	ONVIF, PSIA, CGI		
Max. User Access	20 users		

DH-IPC-HF81200E

Smart Phone	iPhone, iPad, Android, Windows Phone
Auxiliary Interface	
Memory Slot	Micro SD, Max 128GB
RS485	1 port
Alarm	2/1 channel In/Out
General	
Power Supply	DC12V/AC24V, PoE (802.3af)
Power Consumption	Max12W (ABF&ICR on)
Working Environment	-30°C~+60°C, Less than 95% RH
Ingress Protection	N/A
Dimensions	74.1mm×65.5mm×135.4mm
Weight	0.3Kg

Dimensions (mm)

DH-IPC-HF81200E



Accessory (optional)

				
PFB120W	PFB121W	PFA121	PFA152	PFA151

Dahua Technology Co., Ltd.

1199 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.

© 2014 Dahua Technology Co., Ltd.