

DHL27

27" Full-HD LCD Monitor



Product Features

- Industrial Level DID LCD panel, suitable for 7*24 continuous works.
- High contrast and high brightness greatly enhance the video layer, and present the details of the video.
- FHD 1920×1080 resolution, brilliant and vivid video.
- Build-in 3D COMB filter and 3D Noise Reduction
- Auto Motion-blur elimination to extend LCD lifespan
- Abundant interfaces, support video loop
- Remote control, software dual control, support remote PC centralized control
- Support Point-to-Point remote control, solve the multiple large-screen video wall control perfectly
- Intelligent brightness control, energy saving
- Using Tamper-proof metal housing, no radiation
- Professional thermal design to extend equipment lifespan
- Built-in power, low energy consumption, ultra-quiet

Technical Specifications


Model	DHL27
System	
Diagonal	27"(16:9)
Type	TFT(FHD)
Backlight	LED
Resolution	1920×1080
Dot Pitch	0.31125(H)×0.31125(V)

DHL27

Luminance(Standard)	450cd/m2
Contract	3000:1
Angle of view	178°/178°
Response Time(Grey Scale)	12ms
Gamut(CIE1931)	80%
Display Color	16.7M/8bit
Video & Audio	
Video Input	CVBS(BNC)x2
PC Signal	VGA(D-Sub)x1
Digital Signal	DVI-Dx1 [1080P(1920x1080), downward compatible]
	HDMIx1 [1080P(1920x1080), downward compatible]
Audio Input	Optional
Audio Output	—
Loop Out	CVBS(BNC)x2
General	
Power Consumption (Standard)	24W
Power Consumption (Standby)	≤1W
Power Supply	AC100-240V~(+/-10%),50/60 Hz
Control Mode	RS232 Serial control ,all way loop ,infrared remote control
Bezel Color	Black
Gross Weight	7.0kg
Unit Dimensions(mm)	669.0x408.0x42.7
Active Screen area(mm)	598.0x337.0
Package Dimensions(mm)	690x480x256
Frame Depth (mm)	40.0
Enclosure material	Metal
Installation Mode (all optional)	Base*、 Wall-mounted*、 TV-Wall*、 Ceiling*
Protective Glass/ Touch Screen	Optional
Working Temperature	0°C~50°C
Working Humidity	20%~90%
Stock Temperature	-20°C~60°C
Average Lifespan	50 , 000 hours
Note : *means optional fitting	

DHL27

Dimension



Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.

© 2013 Dahua Technology Co., Ltd.