

Villa Outdoor Station



Features

- Being equipped with advanced built-in system and software, suit for villa
- Camera: 1.3 mega pixel camera
- Temper glass panel for water-proof (IP65)
- Night vision: the particular white light in the camera able to make the clear picture at night
- One button with background light ,easy to operate
- Call indoor monitor and management centre
- Open with IC card
- Support unlock remotely
- Support customized call period function
- Support group call function


Specifications

Mode		VTO6110B
System	Main Processor	Embedded micro processor
	Operation System	Embedded LINUX OS
Video	Video Compression Standard	H.264
	Input/Approaching Induction	VGA CMOS camera
	Black Light	Support

DH-VTO6110B

Audio	Audio Input	All-direction Microphone
	Audio Output	Built-in speaker
	Bidirectional Talk	Support dual-way bidirectional talk
Operation Mode	Input	Digital keyboard
	Card	Built-in IC card induction reader
Alarm and Access Control	Vandal proof	Support
	Access control	Support by expansion mode
Network	Ethernet	10M/100Mbps Self-adaptive
	Network Protocol	TCP/IP,SNMP,MDI/MDI-X Self-adaptive
Storage	Memory	128MB
Others	Power	DC 10~15V
	Power Consumption	Standby $\leq 1W$, work $\leq 5W$
	Working Environments	-10°C – +55°C
	Water Proof	IP65
	Dimensions	154.2mm*114.2mm*43.0mm (L*W*T) ;
	Weight	0.6Kg;

Dimensions



Dahua Technology Co., Ltd.

1187BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

www.dahuatech.com

*Design and specifications are subject to change without notice.