



DD3250 - High Impact, Vandal Proof Color Dome Camera with Varifocal Lens

Features

- 1/4" Color CCD
- 330 TV Lines of Resolution
- <1Lux at F2.0
- Auto Back Light Compensation
- 360° adjustable Viewing Direction
- High Impact dome can withstand a strike from a 10lb. Sledge hammer

An easy to install, compact Standard Resolution color dome with Varifocal Lens. The unit has a resolution of 330 TV lines and a minimum illumination of less than 1 Lux at F2.0 The compact design is suitable for modern interior places.

Specifications

Image Sensor	1/4" Interline transfer type B&W CCD
Effective Pixels (PAL)	500H x 582V (290K)
Scanning System (PAL)	625 Lines 2:1 Interlace
Scanning Frequency (PAL)	15.625KHz (H), 50Hz (V)
Resolution	330 TV-Lines
Shutter Speed (PAL)	1/50 ~ 1/100,000 sec.
S/N Ratio	More than 48dB (AGC off)
Sync. System	Internal
Min. Illumination	<1 LUX (F2.0)
White Balance	AWB
Gain Control	Automatic
Video Output	1.0 Vp-p (75Ω load)
Lens	Varifocal (4.0 - 9.0mm)
Power Supply	DC12V ± 10%
Power Consumption	100mA (DC12V)
Operating Temp	-10 to +45 C / 14 to 113F
Operating Humidity	90% RH Max.
Diameter	125mm
Base Composition	Cast Iron
Dome Composition	Polycarbonate