

# VCQ-6057

Home | Security | Processing | Quads

VCQ-6057

Colour Quad Splitter, 1024x625, Alarm In/Outputs,

12VDC/230VAC, 1/2 19"

Art-Nr. 72614



## Main Features

Display of 4 Colour Pictures on one Screen

Real Time Refresh Rate

Resolution: 1024x625 Pixels

Refresh Rate: 50 Fields/sec.

Automatic Gain Control

Video Loss Detection, "Freeze" of the last Picture

Programming via On-screen Menu

Time/Date/Camera Title Display

2x Zoom on Playback

Alarm Inputs/ Relay Contact Output

RS-232 Interface

Option: 19" Rack Mount Kits

## Specifications

Video inputs	4x 1Vp-p, 75ohms, BNC, loop-through
Video outputs	Monitor: 1Vp-p, 75ohms, BNC (Full and Quad)VCR: 1Vp-p, 75ohms, BNC (Quad only)
Acoustic alarm display	Switchable
Alarm outputs	NO/NC contact, 1A/24VDC. Alarm dwell time: 1 sec. to infinity (adjustable)
Alarm inputs	4x for NO/NC contacts
Alarm reset	Automatic reset after the pre-selected alarm hold time, or via the alarm reset input, or by pressing a button
Resolution	1024x625 Pixels
Automatic gain control (AGC)	Available
Digital zoom on VCR playback	2x zoom
Freeze of the single Quad pictures	Yes
Adjustable picture sequence	0 ~99sec.

# VCQ-6057

(Continuation Spezifications)

Colour scales	16.7 M Colours
Camera title	8 characters
Refresh-Rate	50 Fields/sec.
Set-up via on-screen menu	yes
Serial interfaces	RS-232
Keyboard locking	Possible
Temperature range	0°C ~+50°C
Set-up of video level	Automatic
Video recorder input	1Vp-p, 75ohms, BNC
Alarm called full screen	Yes
Time/date display	Built-in clock with back-up battery, Format: YY-MM-DD / HH:MM:SS
Supply voltage	12VDC (PSU 230VAC included)
Power consumption	10W
Housing	Steel with plastic front
Colour	Pantone 427C
Dimensions (HxWxD)	44.1x215x200mm
Weight	2.5kg

## Optional accessories

72557	VQ6057/6045RMK2	19" Rack Mount Kit for 2x ENEO Quad Splitters VCQ-6057 and VBQ-6045
72556	VQ6057/6045RMK1	19" Rack Mount Kit for 1x ENEO Quad Splitter VCQ-6057 and VBQ-6045
72284	VBQ6044/VCQ6056	Cable Remote Controlor VBQ-6044/ VCQ-6056 Quads, 10m Cable

