Video Security

Housings | eneo Medium Housings

VHM/ECLKA-210

Weatherproof Housing (210mm) with Heater, Thermostat, CBD, RAL7032, 230VAC

Art-No. 79543





Features

Camera Weatherprotection

Housing Body Length: 210mm

Fold-down Housing Body

4 Levels of Camera Height Adjustment

Insulated Camera Mounting

Integrated Connection Board

3 Cable Entries

Screen Heater 230VAC Included

Viewing Screen with "Clear-Shield" Technology

Incorporated Carrier Handle Housing Surface: RAL7032

Specifications

Maximum installation length	210mm
Space for power supply	NE-112 (1 output): 85mm NE-112/2 (2 outputs): 110mm
Cable entries	3x M16x1.5mm
Window screen	Coated with "Clear Shield" Technology. With this technology the glass corrosion, caused by environmental pollution, is avoided and screen cleaning cycles will be extended. The coating is UV light resistant, colour neutral and it causes no F-stop loss.
Clear Shield	yes
Window heater	yes, 110 ~ 265VAC / approx. 9watts
Thermostat	On: +16°C, Off: +20°C
Sunshield	yes
Hidden cable management	no
Integrated wall mount	no
Protection rating	IP66
Housing	outdoor housing, Aluminium with plastic covers (ABS)
Housing material	aluminium
Colour (housing)	RAL7032
Dimensions (HxWxD)	125x133x353mm


VHM/ECLKA-210

(Specifications continued)

Weight	2.2kg
Parts supplied	Screw set, Thermostat switch, Screw terminal

Accessories

73064 / WD-16/MK	Wall Mount with Swivel Head for VHM Weatherproof Housings, RAL7032
73082 / WD-14/MKL	Wall Mount with Swivel Head for Weatherproof Housings, RAL7032
79491 / NE-112/AC24V	Power Supply Unit 230VAC/24VAC (600mA) for VHM Housing
79423 / NE-112/2	Power Supply Unit 230VAC/12VDC (600mA), Regulated, 24VAC (1000mA) f. VHM Housing
79364 / NE-112	Power Supply Unit 230VAC/12VDC (600mA) for VHM Housing, Regulated
71601 / VHM/H24	VHM Window Heater 12-30V (PTC Element)
70457 / AK-3	Camera Connection box, 230VAC Input 24VAC-100W, 12VDC-1A Output



Nutzbare Einbaulänge/Usable internal length

Maße/Dimensions: mm

VIDEOR TECHNICAL E. Hartig GmbH Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100 info@videortechnical.com · www.videortechnical.com

