

Video Security



VKC-1331

1/3" Colour Cylindric Camera with 3.6mm Lens, 12VDC, 380TVL

Art-No. 91978



Features

Weatherprotected CCD Colour Cylindric Camera
19mm Outside Diameter only
1/3" Super HAD CCD Sensor
Resolution of 380 Horizontal Lines
Automatic Shutter Control (AES)
H & V Aperture (APC)

Automatic White Balance (AWB)
Internal Synchronization
Supply Voltage: 12VDC
Weatherproof Aluminium Housing
Mounting Stand with Swivel Head
Option: Camera Version with 170° Door View Lens

Specifications

Mount	Mounting stand with swivel head included
Cable connection	Wiring for video and voltage supply made, accessible from outside (approx. 0.5m long, Video: BNC jack; 12/24V input: for DC plug 2.1/5.5mm)
Signal-to-noise ratio	48db (AGC OFF)
System	CCIR/PAL
Imager	1/3" Sony Super HAD Interline Transfer CCD
Active picture elements	Approx. 440,000 (H) 752 x (V) 582
Signal processing	Digital (DSP)
Synchronization	Internal
Gamma correction	0.45
Horizontal resolution	380 TV lines
Sensitivity at 50% video signal	1.8Lux at F2.0 / 0,64Lux at F1,2 (VT measurement result)
Automatic shutter control (AES)	1/50 ~ 1/100.000Sec.
Automatic gain control (AGC)	Yes
Automatic white balance (AWB)	2100K ~ 8000K
Integrated lens	F2.0/3.6mm
Horizontal angle of view	69°

VKC-1331

(Specifications continued)

Video output	1Vp-p, CVBS, 75ohms
Supply voltage	12VDC (+/- 10%)
Power consumption	Approx. 1.7watts
Protection rating	IP67
Housing	Aluminium
Colour	Black
Temperature range	-10°C ~ +50°C
Dimensions (LxD)	75x19mm
Weight	Approx. 80g (incl. stand)

Accessories

77779 / VT-PS12DC-UK	Power Supply Unit w. UK Mains plug-in, 100-240VAC/12VDC-1.0A, Regul., open Ends
77772 / VT-PS12DCDT	PSU 12VDC/0,5A, Regulated, Desktop Version, 1.8m Cable each w. open ends
70447 / VT-PS12DC-5	Plug-in Power Supply Unit 100-240VAC 12VDC (1.0Amp), Regulated, with DC Plug

VIDEOR TECHNICAL E. Hartig GmbH
Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany
Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100
info@videortechnical.com · www.videortechnical.com

