

Video Security



VKC-1339/VAR49

1/3" Colour Board Camera with Lens
F1.5/4-9mm, 330TVL

Art-No. 91999



Features

Colour CCD Board Camera with Varifocal Lens
1/3" Super HAD CCD
Resolution of 330 Horizontal Lines
Sensitivity of 0.38Lux (at F1.2)
Built-in Lens F1.5/4-9mm with DC Iris Control
Digital Signal Processing (DSP)

Electronic Shutter Control (ESC)
Automatic Gain Control (AGC)
Backlight Compensation (BLC)
Automatic White Balance (ATW)
Supply Voltage: 12VDC
Board Dimensions: 38x38mm

Specifications

High-speed shutter (ESC)	1/50 ~ 1/100,000sec.
White balance (AWB)	Automatic
System	CCIR/PAL
Imager	1/3" Sony Interline Transfer CCD
Active picture elements	Approx. 290.000, (H) 500 x (V) 582 Pixels
Signal-to-noise ratio	48dB (AGC OFF)
Synchronization	Internal
Horizontal resolution	Approx. 330 TV lines
Sensitivity at 50% video signal	0.38Lux at F1.2
Automatic gain control (AGC)	Supplied
Backlight compensation (BLC)	Supplied
Lens	F1,5~340 / 4~9mm with galvanometer driven iris
Horizontal angle of view	71° ~ 31.6°
Internal adjustments	-
External connections	Video, 12VDC (Molex socket)
Video output	1Vp-p, CVBS, 75ohms
Supply voltage	12VDC (9 ~ 15VDC), 12VDC +/-0.5V recommended
Power consumption	1.8watts max.



VKC-1339/VAR49

(Specifications continued)

Mounting	2 Fixing holes at 48mm distance (diagonal)
Housing	-
Temperature range	-10°C ~ +50°C
Dimensions (HxWxD)	See drawing
Weight	Approx. 25g

Accessories

70447 / VT-PS12DC-5	Plug-in Power Supply Unit 100-240VAC 12VDC (1.0Amp), Regulated, with DC Plug
77772 / VT-PS12DCDT	PSU 12VDC/0,5A, Regulated, Desktop Version, 1.8m Cable each w. open ends
77779 / VT-PS12DC-UK	Power Supply Unit w. UK Mains plug-in, 100-240VAC/12VDC-1.0A, Regul., open Ends



Maße/Dimensions: mm

VIDEOR TECHNICAL E. Hartig GmbH
 Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany
 Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100
 info@videortechnical.com · www.videortechnical.com

