

VKC-1370

Home | Security | Cameras | Boxed

VKC-1370
1/3" Day&Night Camera, 540TVL, 230VAC,

Art-Nr. 92537



Lens is not included

Main Features

1/3" Sony Super HAD CCD	Switchable Flickerless Adjustment
Sensitivity of 0.04Lux at F1.2 (B&W)	Automatic White Balance (ATW)
Automatic Gain Control (AGC)	Enhanced Sharpness Compensation
Removable IR Cut Filter	Auto-Iris and DC-Iris Control
Switchable Backlight Compensation (BLC)	Supply Voltage: 230VAC/50Hz
Iris/Shutter Control Selectable (ALC/ESC)	CS Mount

Specifications

System	day&night
Video standard	PAL
Sensor size	1/3"
Imager	CCD, Sony Super HAD II Interline Transfer
Active picture elements	440,000 (H) 752 x (V) 582 pixels
Horizontal resolution	540 TVL
Synchronization	Internal
Signal-to-noise ratio	50dB (AGC OFF)
Sensitivity (at 50% video signal)	0.14Lux (colour), 0.04Lux at b&w (Videor measurement result at F1.2)
Automatic electronic shutter (ESC)	1/50 ~ 1/100,000sec.
Low Speed Shutter	no
Digital Noise Reduction (DNR)	no
Backlight compensation	BLC, ON/OFF switchable

VKC-1370

(Continuation Specifications)

Wide Dynamic Range (WDR)	no
White balance	Automatic/manual (2000K - 8000K)
Aperture Correction (APC)	Horizontal and vertical
Flickerless function	Supplied
IR cut filter	switchable
Day/Night switching	Automatic and manual
Lens mount	CS
Iris control	Manual iris, DC/AI controlled iris
External adjustments	4 DIP switches for: ALC/ESC, BLC On/Off, Flickerless On/Off, Day/Night, Lens select (AI/DC iris control). Level for DC voltage controlled iris, Flange focus
Video outputs	CVBS, 1Vp-p, (C)VBS, 75ohms, BNC
External connections	Video (BNC), Auto Iris/DC Iris, Power input (2 pin)
Serial interfaces	no
Camera mount	1/4" - 20 UNC thread on top and bottom
Supply voltage	230VAC
Temperature range (Operation)	-10° ~+50°C
Dimensions (HxWxD)	55x65x106mm
Colour	Pantone Cool Gray 2C
Weight	410g
Parts supplied	Power cord
Certificates	CE


Optional accessories

43106	C/CS RING-AL	Adapter Ring, C/CS Mount, Aluminium anodized
-------	--------------	--

VKC-1370

Home | Security | Cameras | Boxed

Technical drawing



Maße/Dimensions: mm