

# Video Security

Monitors | eneo TFT/LCD Monitors

## VMC-5.6/1-LCD

5,6" (14,3cm) LCD/TFT Colour Monitor,  
320x234 Pixels, 2 Comp., 2 Audio, 12VDC

Art-No. 90481



## Features

Display Screen Size: 5.6" (14.3cm)

PAL/NTSC Auto Selection

Resolution of 320x234 Pixels

2 Video and Audio Inputs

On-screen Menu Control

Horizontal Reverse Image

Integrated Speaker

Supply Voltage: 12 to 30VDC

Low Power Consumption

Rugged Plastic Housing with Table Stand

## Specifications

Video standard	PAL / NTSC (auto selection)
Synchronization	Internal
Display element	Colour TFT/LCD, Pixel size: 0.118 (H) x 0.362 mm (V), Total no. of pixels: 74,880
Screen size	5,6" (14,3 cm)
Active area	113.28 (H) x 84.708 (V) mm
Horizontal resolution	320 pixels
Vertical resolution	234 pixels
Resolution pixels	320 x 234
Contrast ratio typical	300:1
Brightness typical	250cd/m2
Viewing angle top	n/a
Viewing angle right	65°
Viewing angle bottom	n/a
Viewing angle left	65°
Response time typical	35ms, 15ms (Tr), 20ms (Tf)
PC interfaces	no
Video inputs (type)	CVBS, VBS
Video inputs	2x 1Vp-p, (C)VBS, 75ohms, Cinch adapter cable



## VMC-5.6/1-LCD

(Specifications continued)

<b>Audio inputs</b>	2, 30mVss ~ 100mVss
<b>Loudspeaker</b>	Built-in
<b>Supply voltage</b>	12 ~ 30VDC
<b>Power consumption</b>	3.6watts
<b>Operations (Front part)</b>	Power ON/OFF, Mode, Channel A/B selection/Cursor buttons
<b>Operations (back part)</b>	Main power switch, Mirror ON/OFF
<b>Temperature range (Operation)</b>	0 ~ +50°C
<b>Housing material</b>	plastic
<b>Colour (housing)</b>	anthracite
<b>Dimensions (HxWxD)</b>	See drawing
<b>Weight</b>	approx. 470g
<b>Parts supplied</b>	Plugable PSU 100~240VAC, Table stand, Connection cables
<b>Certificates</b>	n/a

## Accessories

<b>83450 / A14</b>	BNC Jack/Cinch Plug Adapter
--------------------	-----------------------------



Maße/Dimensions: mm

VIDEOR TECHNICAL E. Hartig GmbH  
 Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany  
 Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100  
 info@videortechnical.com · www.videortechnical.com

