



## VTL-WWA-BL

Article-No.: 79717

Weatherproof Housing (300mm)  
Heater, Blower, Wallbracket,  
RAL9002, PSU 230V

### Mainfeatures

Weather protection for cameras  
Fold-down housing body  
Housing body length: 300mm  
230V window heater included  
Protection rating: IP66

Integrated wall bracket  
Insulated camera mounting  
Cable entry through the wall bracket  
Blower included  
Housing colour: RAL9002

### Specifications

Series	eneo VTL
Maximum installation length	300
Clear Shield	no
Window heater	yes
Window heater	100-240V/40W (PTC)
Blower	yes
Wiper	no
Supply voltage	100-240VAC
Sunshield	yes
Hidden cable management	yes
Cable entry	Through the wall bracket
Integrated wall mount	yes
Protection rating	IP66
Housing	outdoor
Housing material	aluminium
Colour (housing)	RAL9002
Temperature range	-20°C ~ +50°C


## Specifications (continued)

Dimensions (HxWxD)	see drawing
Weight	4.0kg
Certificates	CE

## Optional Accessories

Image	Artikel-Nr. / Typ	Description
	NE-130/12V	Power Supply Unit 230V/12VDC-1.25A for Housings VTL-WWA
	PM-6D	Pole Mount Adapter for 2 Wall Mounts, (50-140mm Pole), RAL9002
	PM-6S	Pole Mount Adapter for 1 Wall Mount, (50-140mm Pole), RAL9002
	CMA-2	Corner Mount Adapter for Wall Brackets WD-5, WD-7, VTL-WW, VHK-WW, RAL9002
	AK-3	Camera Connection box, 230VAC Input, 24VAC-3.2A, 12VDC-1A Outputs
	VTL-BL-230V	Blower, with Thermostat 230V, for VTL-WWA housing

## Optional Accessories (continued)

Image	Artikel-Nr. / Typ	Description
	SU-6	Camera Height Adjustment Kit for VHK and EHL Housings (3 Diff. Slides and Screws)

Your partner for eneo products:

