

## ECS 7710 T - 10,4" TFT touchscreen control panel with DVR / PTZ control ECS 7710 C - 10,4" TFT touchscreen control panel with DVR / PTZ control

### Features

- Touchscreen control of EverFocus EDR/EDSR series' DVRs via RS-485 interface (up to 1200 m distance)
- RS-485 interface pin – compatible to PTZ control with EverFocus and Pelco-D protocol
- 4 video inputs allow for control of 4 CCTV systems (DVR, PTZ camera)
- Easy, intuitive system setup with graphic user interface (GUI)
- 2 housing versions: built-in type (ECS 7710 C) and desktop housing (ECS 7710 T) for VESA mount



ECS 7710 T



ECS 7710 C

### Technical data

	ECS 7710 T	ECS 7710 C
Display size	10,4" (211 x 158 mm)	
Display resolution	VGA 640 x 480, 65.536 colours	
Controller hardware	32-bit RISC-CPU, 133 MHz, 8 MB	
Interfaces	2 x USB, 1 x RS-232, 2 x RS-485	
Video input	4 x BNC FBAS, 75 Ohm terminated	
Casing	Aluminium / steel	
Power input	12 V DC / 24 V DC, 650 mA typical, 1,1 A max.	
Operating temperature	0°C ~ +50°C	
Dimensions (WxHxD)	302 x 217 x 73 mm	361 x 297 x 69 mm, cutout 299,5 x 227,5 mm
Weight	3,0 kg	3,2 kg
Mounting	Desktop version, standard VESA mount 75/100 mm	Built-in version, cutout 299,5 x 227,5 mm
Accessories	Stand base BA DW 140 Brackets BA DW 151 / 170 / 171	ECS HCS 10 – sleeve for dry wall or in-wall mounting

### Accessories

#### ECS HCS 10 – sleeve for dry wall or in-wall mounting

**Material:** steel  
**Outer dimensions (WxH):** 345 x 267 mm  
**Inner dimensions (WxH):** 325 x 248 mm  
**Depth:** 65 mm  
**Weight:** 2,6 kg  
**Application:** with ECS 7710 C



ECS7710\_db\_en\_rev02

## BA DW 140 – stand base for TFT monitor

Material: steel, ABS black

Dimensions (WxHxD): 225 x 240 x 170 mm


Weight: 1,4 kg

Monitor mount: 75x75 mm VESA standard

Application: with ECS 7710 T and 75mm VESA standard compatible monitors




## Menu structure




## System examples

### System example with TFT touchscreen control panel ECS 7710 T / direct connection




ECS7710\_db\_en\_rev02

## System example with TFT touchscreen control panel ECS 7710 T / cascading I



## System example with TFT touchscreen control panel ECS 7710 T / cascading II



### Ordering information

ECS 7710 T	10,4" TFT touchscreen control panel with DVR / PTZ control, desktop version with standard VESA mount 75/100 mm, 12/24 V DC (230 V AC power supply included)
ECS 7710 C	10,4" TFT touchscreen control panel with DVR / PTZ control, built-in version, 12/24 V DC (230 V AC power supply included)
ECS HCS 10	Sleeve for dry wall or in-wall mounting, application with ECS 7710 C, steel, dimensions (WxH): 345x267mm (outside), 325x248mm (inside)
BA DW 140	Stand base for TFT monitor ECS 7710 T and 75mm VESA standard compatible monitors, steel ABS black, dimensions (WxHxD): 225 x 240 x 170 mm
BA DW 151	Wall mount arm with gas spring for TFT monitors FH 75* and ECS 7710 T, iron/plastic powder-coated black, length: 569 mm
BA DW 170	Wall mount bracket with 3-axis adjustment for TFT monitors FH 75* and ECS 7710 T, iron/plastic powder-coated black, monitor distance 142mm
BA DW 171	Wall mount bracket with 2-axis adjustment for TFT monitors FH 75* and ECS 7710 T, iron/plastic powder-coated black, monitor distance 115mm