

1/W VEO DUOX COLOUR ONETOONE VIDEO KIT



Reference: 4908

Now with Photocaller, the new DUOX function. It captures up to 150 images of visitors, indicating the date and time.

FERMAX is presenting its new VEO Kits for single family homes, offices and busi...

DESCRIPTION

Now with Photocaller, the new DUOX function. It captures up to 150 images of visitors, indicating the date and time.

FERMAX is presenting its new VEO Kits for single family homes, offices and businesses. These Kits include the new VEO monitor.

The VEO kits include all the necessary materials for a complete installation: Cityline panel, a safe choice, resulting from combining a classic aesthetic, robustness and reliability; the VEO monitor and power supply.

TECHNICAL SPECIFICATIONS

The kit includes:

7389 1/W COLOUR DUOX OneToOne CITY panel and flush box S4 (ref.8949). Panel S4: 130x199. Flush box S4: 115x185x45.
9405 VEO DUOX Colour Monitor 4,3"
9406 VEO DUOX Connector
4810 Power Supply 18Vdc/1,5A-12Vac/1,5A. DIN 10
3244 DUOX Filter
3255 Line Adaptor

Video

- Resolution: QVGA(320x240 pixels).
- Sensor: 1/3" color CMOS.
- Effective pixels: 1M.
- Minimum external illumination: 0,5 lux.
- SNR >40dB.
- Frame rate 25 fps.
- Auto iris.
- Auto BLC.
- View angle 90° H, 72°V.
- Color night vision through white led.

Weight: 2,8327546 kg



Size of product when packed: 26x24x15 cm

EAN 13: 8,4243E+12

Included products




**COLOUR DUOX VEO
MONITOR 4,3"**

Ref: 9405

The VEO monitor is made of high-impact ABS plastic. Texturised finish for easy cleaning and ultraviolet protection to get more resistance to the light...

[+ INFO](#)



**DUOX VEO MONITOR
CONNECTOR**

Ref: 9406

Installation connector. For VEO monitors. For DUOX system. One per monitor is required.

[+ INFO](#)




**P.S.U. DIN10
230VAC/12VAC+18VDC-
1.5A**

Ref: 4810

Used to power the different equipment in a Fermac installation.

Constructed in self-extinguishing VO material. Includes a set of covers to protect the...

[+ INFO](#)



DUOX LINE ADAPTOR

Ref: 3255

For DUOX systems it will be necessary to install a line adapter device. Its function is to adapt the transmission line and it includes a jumper to...

[+ INFO](#)



DUOX FILTER

Ref: 3244

DIN-4 rail format for easy installation inside an electrical equipment box, or can be screwed directly onto the wall.

[+ INFO](#)