

# ZM-L (E) SERIES MONITORS

Commercial Colour TFT LCD Monitors

Control Room

- 15", 17" and 19" models
- High contrast ratio
- Fast response time
- Wide viewing angle
- NTSC/PAL auto sensing
- Multiple language OSD control
- Multiple inputs



The ZM-L "E" series of 15", 17" and 19" commercial LCD monitors offers resolutions up to 1280 x 1024 pixels (SXGA) and a high contrast ratio of up to 800:1 that generates sharper lines and images. All monitors in the ZM-L (E) series have wide viewing angles and incredibly fast response times.

They feature BNC analogue input with loop-through, VGA and S-Video capabilities, providing various connection options. The units are supplied with a lock down desk mount stand that can be adjusted to suit your viewing position and allows the monitor to be fitted with any standard 100mm VESA accessories.

## Perfect Partners



ZMA WB3  
Page 90



ZC-D4000  
Page 21

Model	ZM-L215E	ZM-L217E	ZM-L219E
Video Signal	PAL/NTSC auto mode	PAL/NTSC auto mode	PAL/NTSC auto mode
LCD Display	15" Active Matrix TFT LCD	17" Active Matrix TFT LCD	19" Active Matrix TFT LCD
Display Colour	16.2 M colours	16.7 M colours	16.7 M colours
Response Time	6 ms	4 ms	4 ms
Contrast Ratio (Typ.)	500:1	800:1	800:1
Brightness	250 cd/m2 (TYP.)	300 cd/m2 (TYP.)	300 cd/m2 (TYP.)
Signal Connector: Input	Video BNC In (1.0 Vp-p 75ohm), Audio In, VGA 15 pin min D-SUB In		
Output	Video BNC Buffer Out (1.0 Vp-p 75ohm), Y/C Out, Audio Out		
Audio Speaker	1W (Max)	1W (Max)	1W (Max)
Power Input	DC Input: 12V/4.0A 50/60Hz	DC Input: 12V/4.0A 50/60Hz	DC Input: 12V/4.0A 50/60Hz
Power Consumption	30W	40W	50W
Power Supply	AC 100V/240V	AC 100V/240V	AC 100V/240V
Operating Conditions	Temperature: 0°C ~ 40°C / Humidity: 10% ~ 85%		
Dimensions Net (WxHxD)	364 x 316 x 170mm	386 x 388 x 170mm	424 x 419 x 170mm
Weight (approximate): Net	4kg	5.2kg	6.1kg

## Ordering Codes:

ZM-L215E 15" Colour LCD Monitor  
ZM-L217E 17" Colour LCD Monitor

ZM-L219E 19" Colour LCD Monitor

Lenses  
Cameras  
Hardware  
Control Room  
IP Media & Transmission  
RADAR Detection  
ANPR  
Accessories