

60 SERIES CAMERAS MOUNTS AND ACCESSORIES

Honeywell's 60 Series mounts and accessories provide a wide range of installation options for the Honeywell 60 Series IP cameras, including junction box, in ceiling mount bracket, wall mount bracket, pole mount bracket, corner mount bracket, etc.

The mounts provide easy cable routing with no exposed wiring, and the cameras can be installed, adjusted, and tested without repositioning the housing. All of the mounts and accessories are suitable for indoor or outdoor use.

The junction box, pendant mount bracket, wall mount bracket, pendant mount cap and pendant mount adapter are constructed of die-casting aluminum. The in ceiling mount bracket is made of SECC steel. The pole mount bracket, corner mount bracket is made of SPCC steel.

MARKET OPPORTUNITIES

Honeywell's 60 Series mounts and accessories provide excellent value at an attractive price, featuring simple, clean lines, and rugged construction for a wide range of mounting options.



HA60BB1
Junction Box



HA60JCBH1
Dome Junction
Box



HA60PLMZ1
Pole Mount
Bracket



HA60APR
Outdoor Dome Adapter
Plate and Rubber



HA60CNMZ
Corner Mount Bracket



HA60PLMZB
Pole Mount
Bracket



HA60WLM3
Wall Mount
Bracket



HA60WLM4
Wall Mount
Bracket



HA60BFP
Bullet Front
Panel



HA60CNMZ1
Corner Mount
Bracket



HA60WIF
Wifi Dongle



HA60ICK
Indoor Dome
Inceiling Mount Kit



HA60CB4
Outdoor Bubble
Clear



HA60WLMZ1
Wall Mount Bracket



HA60CB3
Indoor Bubble
Clear



HA60CLM01
Pendant Mount



HA60SB4
Outdoor Bubble
Smoke



HA60PMC4
Pendant Mount
Adapter



HA60SB3
Indoor Bubble
Smoke



HA60CLM02
Pendant Extension
Mount



HA60ICMM
In-Ceiling Mount
Bracket



HA30PMB01
Pendant Mounting
Base



HA30PME02
Pendant Mount
Extend Bracket



HA60PCMZ
Pendant Mount
Cap



HA60MLMM
Multi-Sensor Camera
Wall Mount Bracket



HA60PLMM
Multi-Sensor Pole
Mount Bracket



HA60CNMM
Multi-Sensor Corner
Mount Bracket



HA60WLMB1
Wall Mount Bracket



HA35JCBHBB
Bullet Junction Box



HA35PCM04B
Camera Cap



HA35CLM01
Pendant Mount



HA35CLM02
Pendant Extension
Mount



HA35CNM01 Corner
Mount Adapter



HA35PLM01
Pole Mount Bracket



HA60WLMZL
Wall Mount Bracket



HAS1PTD
PT Driver



HAS1PTDP
PT Driver Pendant Mount



HA60JCBPT
PT Driver
Junction Box

MOUNTS AND ACCESSORIES

COMPATIBLE 60 SERIES CAMERAS

MODEL	HC60W34R2I HC60W32R2I	HC60W44R2I HC60W42R2I	HC60WB4R2I HC60WB2R2I HC60WB4R5I	HC60WZ4R40WI HC60WZ4R40KI HC60WZ8R40WI HC60WZ8R40KI	HC60W35R2 HC60W35R4	HC60W34R2	HC60W45R2 HC60W45R4	HC60W44R2	HC60WB5R2 HC60WB5R5 HC60WB4R2
HA60BB1 									
HA60JCBH1 									
HA60WLMZI 									
HA60WLMZL 									
HA60PLMZB 		+HA60WLM4 	+HA60BB1 				+HA60WLM4 	+HA60WLM4 	+HA60BB1 
HA60PLMZI 				+HA60WLMZI or +HA60WLMZL 					
HA60CNMZ 		+HA60WLM4 	+HA60BB1 				+HA60WLM4 	+HA60WLM4 	+HA60BB1 
HA60CNMZI 				+HA60WLMZI or +HA60WLMZL 					
HA60WLM3 									
HA60WLM4 									
HA60PMC4 		+Pendant mount bracket (bracket and installation not included) 					+Pendant mount bracket (bracket and installation not included) 	+Pendant mount bracket (bracket and installation not included) 	

MOUNTS AND ACCESSORIES

COMPATIBLE 60 SERIES CAMERAS

MODEL	HC60W34R2I HC60W32R2I	HC60W44R2I HC60W42R2I	HC60WB4R2I HC60WB2R2I HC60WB4R5I	HC60WZ4R40WI HC60WZ4R40KI HC60WZ8R40WI HC60WZ8R40KI	HC60W35R2 HC60W35R4	HC60W34R2	HC60W45R2 HC60W45R4	HC60W44R2	HC60WB5R2 HC60WB5R5 HC60WB4R2
HA60BFP 									✓
HA60CB3 					✓	✓			
HA60CB4 							✓	✓	
HA60SB3 					✓	✓			
HA60SB4 							✓	✓	
HA60ICK 					Included in camera package				
HA60APR 							Included in camera package		
HA60WIF 					✓	✓	✓	✓	✓
HA60CLM01 				+HA60CLM02 					
HA60CLM02 				+HA60CLM01 					

MOUNTS AND ACCESSORIES

COMPATIBLE 60 SERIES CAMERAS

MODEL	HC60WM20R1
HA60ICMM	
HA30PMB01	+HA30PME02 +HA60PCMZ 
HA30PME02	+HA30PMB01 +HA60PCMZ 
HA60PCMZ	+HA30PMB01 +HA30PME02 
HA60MLMM	
HA60PLMM	+HA60MLMM 
HA60CNMM	+HA60MLMM 

MOUNTS AND ACCESSORIES

COMPATIBLE 60 SERIES CAMERAS

MODEL	HC60TB4R1VT09 HC60TB4R4VT15 HC60TB4R2VT25 HC60TB4R2VT35 HC60TB4R2VT50
HA35JCBHBB	 
HA35CNM01	+HA35JCBHBB  
HA35PLM01	+HA35JCBHBB  
HA35PCM04B	+HA35JCBHBB  
HA35CLM01	+HA35PCM04B +HA35JCBHBB  
HA35CLM02	+HA35PCM04B +HA35CLM01 +HA35JCBHBB  
HAS1PTD	 
HAS1PTDP	 
HA60JCBPT	 

MOUNTS AND ACCESSORIES


SPECIFICATIONS

MODEL	INDOOR/ OUTDOOR	CONSTRUCTION	COLOR	WEIGHT	DIMENSIONS
HA60BB1	Indoor/outdoor	ADC12	RAL 7022 (Dark Gray)	0.4 kg (0.8 lb)	Ø 105.0mm x 56.0 mm (Ø 4.1" x 2.2")
HA60JCBH1	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	1.3 kg (2.86 lb)	Ø160.5mm x 53.0 mm (Ø6.31" x 2.09")
HA60PLMZB	Indoor/outdoor	Steel	RAL 9003 (Signal White)	1.0 kg (2.20 lb)	134.5 mm x 48.2 mm x 170 mm (5.30" x 1.90" x 6.69")
HA60PLMZI	Indoor/outdoor	SPCC	RAL 9003 (Signal White)	3.2 kg (7.05 lb)	200 mm x 67.2 mm x 320 mm (7.87" x 2.65" x 12.6")
HA60CNMZ	Indoor/outdoor	Steel	RAL 9003 (Signal White)	1.8 kg (3.97 lb)	243.2mm x 138.7mm x 170 mm (9.57" x 5.46" x 6.69")
HA60CNMZI	Indoor/outdoor	SPCC	RAL 9003 (Signal White)	1.56 kg (3.44 lb)	247.6 mm x 180 mm x 143.5 mm (9.75" x 7.09" x 5.65")
HA60WLMZI	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.59 kg (1.3 lb)	109 mm x 164 mm x 209.3 mm (4.29" x 6.46" x 8.24")
HA60WLMZL	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.99 kg (2.18 lb)	109 mm x 164 mm x 279.3 mm (4.29" x 6.46" x 11.0")
HA60WLM3	indoor	Plastic	RAL 9003 (Signal White)	0.08 kg (0.2 lb)	Ø 121.0 mm x 154.0 mm x 97.0 mm (Ø 4.76" x 6.1" x 3.8")
HA60WLM4	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.9 kg (2.0 lb)	Ø 164.7 mm x 276.8 mm x 139.3 mm (Ø 6.5" x 10.9" x 5.5")
HA60PMC4	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.4 kg (0.9 lb)	Ø 164.7 mm x 46.2 mm (Ø 6.5" x 1.8")
HA60ICK	indoor	Plastic	RAL 9003 (Signal White)	0.08 kg (0.18 lb)	Ø 155 mm x 61 mm (Ø 6.1" x 2.4")
HA60APR	Indoor/outdoor	Aluminium / rubber		0.28 kg (0.61 lb)	Part 1: Ø 158.9 mm x 4 mm (Ø 6.3" x 0.16") Part 2: Ø 158.9 mm x 9 mm (Ø 6.3" x 0.35")
HA60CLM01	Indoor/outdoor	Aluminum (ADC12)	RAL 9003 (Signal White)	0.24 kg (0.53 lb)	Ø 121 mm x 38 mm (Ø 4.77" x 1.50")
HA60CLM02	Indoor/outdoor	Aluminium	RAL 9003 (Signal White)	0.86 kg (1.90 lb)	Ø 56 mm x 352 mm (Ø 2.20" x 13.86")
HA60ICMM	Indoor/outdoor	Aluminum	Silver	1.13 kg (2.49 lb)	660.00 mm x 20.00 mm x 40.00 mm (25.98" x 0.79" x 1.57")
HA30PMB01	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	1.63 lb (0.74 k g)	Ø 160 mm x 90 mm (Ø 6.3" x 3.54")
HA30PME02	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	1.98 lb (0.9 kg)	Ø 50.8 mm x 400 mm (Ø 2" x 15.75")
HA60PCMZ	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	1.0 lb (0.5 kg)	Ø 154.2 mm x 71.7 mm (Ø 6.1" x 2.8")
HA60MLMM	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	1.40 kg (3.08 lb)	276.00 mm x 202.00 mm x 140.00 mm (10.86" x 7.95" x 5.51")
HA60PLMM	Indoor/outdoor	SPCC steel	White	1.24 kg (2.73 lb)	240.0 mm x 156.7 mm x 68.9 mm (9.45" x 6.16" x 2.71")
HA60CNMM	Indoor/outdoor	SPCC steel	White	4.00 kg (8.81 lb)	233.40 mm x 341.60 mm x 240.00 mm (9.19" x 13.45" x 9.45")
HA35JCBHBB	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.17 kg (0.37 lb)	Ø120.5 mm x 37 mm (Ø4.74" x 1.46")
HA35CNM01	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	0.5 kg (1.1 lb)	170.0 mm x 176.5 mm x 103.3 mm (6.69" x 6.95" x 4.07")
HA35PLM01	Indoor/outdoor	Aluminum+SUS304	RAL 9003 (Signal White)	0.31 kg (0.68 lb)	170.0 mm x 130.2 mm x 46 mm (6.69" x 5.13" x 1.81")
HA35PCM04B	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.52 kg (1.15 lb)	133.6 mm x 76.7 mm (Ø5.26" x 3.02")
HA60WLMB1	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.4 kg (0.90 lb)	222.7mm x 118.0 mm x 118.0 mm (8.77" x 4.65" x 4.65")
HA35CLM01	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.3 kg (0.70 lb)	Ø140.0 mm x 52.2 mm (Ø5.51" x 2.06")
HA35CLM02	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	0.3 kg (0.70 lb)	Ø38.0 mm x 252.0 mm (Ø1.50" x 9.92")
HAS1PTD	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	11.2 kg (24.7 lb)	210.4 mm x 210 mm x 498.8 mm (8.28" x 8.27" x 19.64")
HAS1PTDP	Indoor/Outdoor	ADC12	RAL 9003 (Signal White)	11.2 kg (24.7 lb)	498.8 mm x 210.4 mm x 210 mm (19.64" x 8.28" x 8.27")
HA60JCBPT	Indoor/Outdoor	SECC	RAL 9003 (Signal White)	10.3 kg (22.71 lb)	400.0 mm x 205.0 mm x 501.0 mm (15.75" x 8.07" x 19.72")


MOUNTS AND ACCESSORIES

DIMENSIONS

HA60BB1




HA60JCBH1




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60PLMZB




HA60WLM3




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60PLMZI




HA60CNMZ




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60CNMZI




HA60WLMZI




MOUNTS AND ACCESSORIES

DIMENSIONS


HA60WLM4



HA60PMC4




HA60WLMZL




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60CLM01




HA60CLM02




MOUNTS AND ACCESSORIES

DIMENSIONS


HA60ICMM



HA30PMB01




HA30PME02




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60PCMZ




HA60MLMM




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60PLMM




HA60CNMM




MOUNTS AND ACCESSORIES

DIMENSIONS


HA35JCBHBB



HAS1PTD




HA60WLMB1




MOUNTS AND ACCESSORIES

DIMENSIONS

HA35PCM04B




HA35CNM01




MOUNTS AND ACCESSORIES

DIMENSIONS

HA35CLM01




HA35CLM02




MOUNTS AND ACCESSORIES

DIMENSIONS

HA35PLM01




HAS1PTDP



MOUNTS AND ACCESSORIES

DIMENSIONS

HA60JCBPT



MOUNTS AND ACCESSORIES

ORDERING

MODEL	DESCRIPTION	MODEL	DESCRIPTION
HA60BB1	60S outdoor bullet junction box	HA60WIF	60S wifi dongle and USB adapter for camera configuration
HA60JCBH1	60S dome junction box	HA60BFP	60S replacement bullet, 60 series bullet front panel
HA60PLMZB	60S PTZ pole mount bracket, white	HA60CB3	60S replacement dome, 60 series indoor bubble (Clear)
HA60PLMZI	60S PTZ pole mount bracket, white	HA60CB4	60S replacement dome, 60 series outdoor bubble (Clear)
HA60CNMZ	60S PTZ corner mount bracket, white	HA60SB3	60S replacement dome, 60 series indoor bubble (Smoke)
HA60CNMZI	60S PTZ corner mount bracket, white	HA60SB4	60S replacement dome, 60 series outdoor bubble (Smoke)
HA60WLMZI	60S PTZ wall mount bracket, white, 1.5NPT female	HA60ICK	60S indoor dome in-ceiling mount kit
HA60WLM3	60S wall mount bracket for 3 inch dome, white	HA60APR	60S outdoor dome adapter plate and rubber
HA60WLM4	60S wall mount bracket for 4-inch dome, white Pendant mount adapter (1.5 NPT outside)	HA60CLM01	60S pendent mount base, 1.5NPT female
HA60PMC4	60S pendant mount adapter, 3/4NPT (inside only)	HA60CLM02	60S pendent extension mount, 1.5NPT male
HA60ICMM	60S multi-sensor in-ceiling mount bracket	HA60PCMZ	60S pendant mount cap, 1.5NPT female
HA30PMB01	30S pendant mount base	HA60MLMM	60S multi-sensor camera wall mount bracket
HA30PME02	30S pendant mount extend bracket	HA60PLMM	60S multi-sensor pole mount bracket
HA60CNMM	60S multi-sensor corner mount bracket	HA60WLMZL	60S 1.5NPT Longer Wall Mount, 1.5NPT female
HA35JCBHBB	35S bullet junction box , IP66	HA60WLMB1	60S wall mount bracket, 1.5NPT female
HAS1PTD	Bi-spectrum bullet PT driver	HA35CLM01	35S ceiling mount base with adapter
HA60JCBPT	60s Bi-spectrum PT driver junction box	HA35CLM02	35S ceiling mount pendent extension, 252mm
HA35PCM04B	35S cap for pendent mount, 1.5NPT male	HA35CNM01	35S corner mount bracket
HAS1PTDP	Bi-Spectrum bullet PT driver pendant mount	HA35PLM01	35S pole mount bracket

For more information

buildings.honeywell.com/security

Honeywell Commercial Security

715 Peachtree St. NE
Atlanta, GA 30308
1.800.323.4576
www.honeywell.com

Honeywell reserves the right, without notification, to make changes in product design or specifications.

HBT-SEC-60 Series-MNTS-ACC-DS-04-US-EN-0425 -V04-Y
© 2025 Honeywell International Inc.

Honeywell