



HD NETWORK CAMERA

**VN-T16U**  
**VN-T216U**  
**VN-T216VPRU**



**Full HD**  
1920 x 1080

**Multi**  
Codec

**H.264**  
High Profile  
SLL DSP



- ▶ Full HD 1920x1080
- ▶ Multi Codec
- ▶ H.264 High Profile



Lens not included

#### + Full HD Monitoring

Incorporates a 1/2.7-type Megapixel CMOS sensor for high-resolution Full HD images of up to 1920x1080 pixels.

#### + ONVIF support

Supports ONVIF – world standard protocols for network cameras.

#### + Multi Codec support

Compatible with H.264, Motion JPEG, and MPEG4. Dual stream of Motion JPEG and H.264 or MPEG4 is possible.

#### + H.264 High Profile support

H.264 High Profile offers even higher compression efficiency and precision than H.264 Baseline Profile or H.264 Main Profile that is incorporated in ordinary cameras. It enables distribution of high resolution images while saving even more bandwidth.

#### + Other Features

- Simultaneous connection of up to 6 clients
- Two-way audio communication to output alert sound to the camera or to record camera sound
- High sensitivity 0.3 lx (25% F1.2) minimum color illumination and high-quality pictures with 50 dB S/N ratio
- Alarm In/Out and SDHC-compatible card slot for storage of alarm data
- A variety of security features including BLC function to compensate for strong backlighting, Day/Night function to enable round-the-clock surveillance, and Motion Detection function to detect movement of the subject
- [VN-T216VPRU] IR LED with distance of 15m
- [VN-T216VPRU] IP66 standard for outdoor installation

