

Real day/night analog antivandal dome camera 600/650TVL

LTV-CDH-B9001L-F3.6



- 700 TV lines resolution
- Sensor is a new generation of DIS, 976x496 pixels
- Day and Night : Auto (ICR), Color & B/W
- Lens with fixed focal length, f=2.8 mm, f=3.6 mm
- IR LED, max. 20 m.
- Weatherproof to IP66
- Operating Temperature -40°C...+60°C

Video	Imaging device	1/3" DIS
	Effective Pixels (H×V)	976x496
	Electronic shutter speed	1/50 – 1/100 000sec.
	Resolution	700 TVL
	Video Min illumination	0.34 lux @ F2.2 / 0 lux (IR on.)
	Video Output	1.0 Vp-p / 75 Ω composite
	Gamma Correction	0.45
	Synchronisation	Internal
	S-N Ratio	>62dB
Lens	Lens Type	Build-in,type M12
	Focal Length zoom ratio	f=3.6 mm, F2.2
	Angular Field of View (H)	68.44°
	iris Control	–
Functions	Day and Night	Auto (ICR), Color & B/W.
	IR illumination	Build-in, max. 20 m
	Backlight Compensation	BLC
	Gain control	AGC
	White Balance	AWB
	Digital Noise Reduction	–
	Sens-up frame integration	–
	Extended Dynamic Range	–
	Motion Detection	–
	Privacy Masking	–
	OSD menu	–
	Heater	–
Physical parameters	Input Voltage -Current	12B (DC) ± 10%, 150 mA / max. 335mA (briefly when switching IR filter)
	Performance	Outdoor
	Ingress Protection	IP66
	Operating Temperature	-40°C...+60°C
	Dimensions L×D	89.6x59.1 mm
	Weight	0.4 kg.