



VA5 IR 360° Camera

Rugged 5MP IR 360° camera with built-in de-warping, video analytics and microphone



March Networks presents the VA5 IR 360° Camera, a cutting-edge solution that provides a complete 360 degree field of view, ensuring complete situational awareness. Equipped with built-in infrared lighting, this camera enables clear vision even in low-light conditions, while its image correction capabilities allow for accurate and distortion-free visuals. In addition, the VA5 IR 360° Camera boasts a built-in microphone that allows for the recording of ambient noises and sounds and is encased in a robust IK10/IP66 housing, offering protection from vandals and environmental elements. Experience a rapid and effortless setup with the camera's simplified installation process, requiring just a single cable.

The camera features a set of powerful video analytics, including tripwire, intrusion detection, loitering detection, object removal, and abandoned object. Video analytics enable organizations to enhance security in both public and private spaces by detecting perimeter or area breaches, unattended objects, and unusual activity more rapidly and consistently. The software detects camera tampering in real time and also promotes more proactive system maintenance by alerting staff to camera obstructions or changes in camera positioning which otherwise go unnoticed.

Key Benefits

- Built-In Video Analytics
 - Abandoned Object an alarm is triggered if an object remains in one spot for too long.
 - Loitering Detection an alarm is triggered when people remain in an area for too long.
 - **Tripwire** an alarm is triggered when a person or object crosses the defined line.
 - Intrusion Detection an alarm is triggered when people or vehicles enter a specific area.
 - Object Removal an alarm is triggered if an object is removed from an area.
- Built-in microphone. No need to purchase and install a separate device for applications that require audio.
- De-warped viewing modes. Easily cover four different scenes in a single stream by using the quad view or cover an entire area with a fisheye 360° view.
- Smart IR Illumination. The built-in LEDs provide uniform illumination in total darkness, which means users will see high-quality, low-noise video from over 30 feet away. The camera automatically adjusts the intensity of the LEDs to compensate for the distance of an object, so the object is not overexposed when it gets too close to the camera.

Achieve 360 degree surveillance with a rugged camera equipped with IR capability



VA5 IR 360° Camera

CAMERA


CAMERA		
Image Sensor	1/2.7" Progressive Scan CMOS	
Effective Pixels	5MP; 2720 (H) x 1976(V)	
Lens	1.1mm fisheye lens, F2.4	
Field of View	Horizontal: 197° (Wide); 197° (Tele)	
High Dynamic Range (HDR)	120dB	
Day/Night	Automatic IR Cut Filter	
Minimum Illumination	Color: 0.248 lux; B/W: 0.052 lux; 0 lux with IR On	
Shutter Speed	1 to 1/10000s	
White Balance	Manual/Automatic	
IR Wavelength	850nm	
IR Illumination Distance	32 feet (10m)	
VIDEO		
Video Compression	H.265, H.264, M-JPEG	
Resolution (Back-end Dewarping)	5.2MP (2688x1944), 5MP (2592X1944), 4MP (2688x1512), 2MP (1920x1080), 1.3MP (1280x1024), 720p (1280x720), 800x600, 720x480	
Resolution (Edge Dewarping)	4MP (1920x1920), 2MP 1080p (1920x 1080), 1600x1200, 1408x1408, 960x960, 960x720, 960x544, 480x360	
Frame Rate	Up to 30fps @ 4MP	
Streaming	Up to 4 individually configurable streams in H.265/H.264/ M-JPEG Configurable resolution/frame rate/bandwidth; LBR/VBR/ CBR bitrate modes available	
Edge Dewarped Modes	360° Overview (fisheye), Virtual PTZ scene, 180° panoramic, quad view	
Image Settings	Iris control, backlight compensation, white balance, noise reduction, wide dynamic range, privacy mask, brightness, exposure, sharpness, contrast, saturation, hue, IR configuration, day/night threshold	
AUDIO		
Audio Streaming	One-way	
Audio Compression	G.711 PCM	
Audio Input/Output	Embedded microphone	
NETWORK		
Security	Password protection, HTTPS encryption, IEEE 802.1X	
Supported Protocols	IPv4/v6, TCP/IP, UDP, RTP, RTSP, HTTP, HTTPS, DHCP, PPPoE, QoS, ONVIF-S/G/T, SNMP v1/v2/v3	
SYSTEM INTEGRATIO	N	
Video Analytics	Video motion detection, active video tampering, abandoned object, loitering detection, tripwire, intrusion detection, object removal	
Alarm Trigger	Video analytics, external input	

Video recording to local storage, external output activation

ELECTRICAL		
Power	PoE (802.3af, Class 0)	
Power Consumption	PoE: max 12.95W	
PHYSICAL		
Construction	Metal and Polycarbonate	
Dimensions	Ø 5.1 x 2.3 H in (Ø 130mm x 58mm)	
Weight	1.3 lbs (0.58 Kg)	
ENVIRONMENTAL		
Operating Temperature	-22° to 131°F (-30° to 55°C)	
Humidity	10-90% RH, non-condensing	
Ingress Protection Rating	IP66	
Impact Rating	IK10	
USER CONNECTIONS		
Ethernet	RJ45 10/100 Base-T	
GENERAL		
Local Storage	MicroSD/MicroSDHC/MicroSDXC memory card up to 1TB (sold separately)	
LED Indicator	Power, Activity	
Included Accessories	Quick Start Guide; mounting template; mounting hardware	
REGULATORY		
Certification Model	C4701A	
Safety	UL 62368-1, CSA 62368-1, IEC/EN 62368-1	
EMC	EN 55032, BS EN55032, EN61000-3-2, BS EN61000-3-2, EN61000-3-3, BS EN61000-3-3, EN50121-3-2, FCC Part 15 Subpart B, ICES-003, CISPR 32, AS/ NZS CISPR 32, EN55035, BS EN55035, EN50130-4, EN50121-3-2, SAE J1113, BS EN50130-4	
Environmental	EN50155, SAE J1455, RoHS3	
Compliance Marking	CE, cULus, RCM, WEEE, UKCA	

ORDERING INFORMATION

CAMERA		
41105-101	VA5 IR 360° Camera (RJ45)	
	G17 O	\frown



5-year warranty:

- Option for Advance Replacement or Repair & Return.
- No need to issue a PO prior to receiving the replacement.
- March Networks incurs all shipping costs both ways for Advance Replacements.

North America
Latin America +5255 5259 9511
Europe+39 0362 17935
Asia+65 6818 0963
Australia and New Zealand+61 1300 089 419
Middle East and Africa+971 4 399 5525

Alarm Events

© 2023 March Networks. All rights reserved. Information in this document is subject to change without notice. MARCH NETWORKS, March Networks Command, March Networks Searchlight, March Networks RideSafe, and the MARCH NETWORKS logo are trademarks of March Networks Corporation. All other trademarks are the property of their respective owners. 060-3499-00-A marchnetworks.com

