




- 1/3" Color DSP CCD
- 65~30° Field of view (4~9mm lens)
- Weatherproof housing with removable hood
- Includes plug-in power supply



Model	BCVF4W
Image Sensor	1/3" Interline Transfer CCD
Field of View (lens)	65~30° Horizontal (4~9mm F1.6~2.4)
TV System	NTSC
Picture Elements (pixels)	500 (H) x 494 (V)
Horizontal Resolution	380 TV Lines
Min. Illumination	0.5 lux
Signal to Noise Ration	More than 50dB
Synchronizing System	Internal
Video Output	1Vp-p 75ohm
Gamma Correction	r = 0.45
White Balance	Auto 2100°K - 8200°K
Gain Control	Auto 4dB - 32dB
Electronic Iris (auto)	1/60-1/100,000
Power Requirement	12VDC (tolerance: 8V-15V)
Operating Current	100mA w/ regulated power in
Operating Condition	+14 ~ 122°F (-10°C ~ +50°C)
Measurements	ø1.3 x 4.0 inches (ø32mm x 101mm) w/o hood 1.5 x 1.4 x 4.0 inches w/h/d (38mm x 35mm x 101mm w/h/d) with hood
Weight (Camera Only)	9.2 oz. (260g)
Included Accessories	• UL Approved 12V 300mA plug-in power supply • Adjustable swivel mount



Specifications subject to change without notice