



LARGE SCREEN LCD

DSMH64.5LED-TFT

64.5" Active Matrix Metal Case High Resolution

DSMH64.5LED-TFT

Panel Type	64.5" (16:9) LED Monitor
Maximum Resolution	1920 (H) x 1080 (V)
Active Display Area	1428.48mm (H) x 803.52mm (V)
Pixel Pitch	0.248 (H) x 0.744(V) mm
Bezel Thickness	29.3 mm
Contrast Ratio	5000 : 1
Brightness	400 cd/ m ²
Response Time	4 - 25ms
Viewing Angle	U/D: 88° / 88°, L/R: 88° / 88°
Display Colours	1.07 G
Video Synchronization	Yes
PC Compatible Frequency	30-80KHz(H) / 50-75Hz(V)
Adjustable Colour Temperature	9300K / 6500K / 5800K / User
Video Compatibility	Multi-Standard for NTSC / PAL
Aspect Ratio	16:9
VGA Auto Frequency correction	Yes
Speaker	Multimedia Speakers
Number of Speakers	Right x 1 Left x 1, 2.5W
Sound Demodulation	Stereo, Audio
Mute	Yes
Work Humidity	20 % - 70 %
Work Temperature	-10 to 50 °C
Volume +/- Power On/Off	Yes

IN/OUT INTERFACE

Video Interface	HDMI x1 VGA x 1, BNC x 2 In/ BNC x 2 Out
Audio Interface	Audio In x 1
Power Interface	AC In x 1
Termination	75 Ohms (Automatic termination)
Safety & EMC Certification	CE / FCC / ROHS
Vesa Standard Mount	800 X 400 mm
Stand Type	Desktop
Colour	Black
NET Weight	41.6Kg
GROSS Weight	46.5Kg



POWER

Power Supply	Built In
Voltage	AC100 - 240V 50 / 60Hz
Power Consumption	<200 W in "ON" Mode

OSD CONTROLS

Contrast, Brightness, Clock, Phase, H-Position, V-Position, Language

OSD LANGUAGE

English, French, German, Spanish, Italian, Russian, Polish and Portuguese

ACCESSORIES

Kettle Lead, VGA Cable, Audio Cable, User Manual, Remote Control



